


SENTRON, cylindrical fuse holder, 22x58 mm, 3P+N, In: 100 A, Un AC: 690 V, LED signal detector



Model		
product brand name	SENTRON	
product designation	Cylindrical fuse holder	
design of the product	LED signal detector	
General technical data		
number of poles	4	
design of pole	3P+N	
size of fuse link	22 x 58 mm	
Supply voltage		
operating voltage	690 V	
• at AC rated value		
protection class IP	IP20	
Mechanical Design		
height	117 mm	
width	144 mm	
depth	70 mm	
Net Weight	732 g	
Certificates		
reference code according to IEC 81346-2	F	
Approvals Certificates		
General Product Approval	Test Certificates	other





[Miscellaneous](#)



[Confirmation](#)

### Further information

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
 Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
 Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>  
 Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7262>  
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3NW7262>  
 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7262](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7262)  
 CAx-Online-Generator  
<http://www.siemens.com/cax>  
 Tender specifications





---

last modified:

4/11/2025 