



surge suppressor, diode combination 30-250 V DC, for contactors 3RT2.3 and 3RT2.4

| | | |
|--|----------------------------------|-------------------|
| product brand name | SIRIUS | |
| product category | Surge suppressor | |
| product designation | Diode assembly | |
| product type designation | 3RT29 | |
| suitability for use | for 3RT2.3 and 3RT2.4 contactors | |
| General technical data | | |
| certificate of suitability | CE / UL / CSA | |
| size of contactor | S2, S3 | |
| Substance Prohibitance (Date) | 10/01/2014 | |
| SVHC substance name | Lead - 7439-92-1 | |
| Weight | 0.006 kg | |
| type of voltage of the control supply voltage | DC | |
| control supply voltage frequency | | |
| • 1 rated value | 50 Hz | |
| • 2 rated value | 60 Hz | |
| control supply voltage at DC rated value | 30 ... 250 V | |
| design of the surge suppressor | Diode combination | |
| Ambient conditions | | |
| ambient temperature | | |
| • during operation | -25 ... +60 °C | |
| • during storage | -40 ... +80 °C | |
| Environmental footprint | | |
| Environmental Product Declaration (EPD) | Yes | |
| global warming potential [CO2 eq] total | 7.04 kg | |
| global warming potential [CO2 eq] during manufacturing | 0.089 kg | |
| global warming potential [CO2 eq] during operation | 6.96 kg | |
| global warming potential [CO2 eq] after end of life | -0.0061 kg | |
| Installation/ mounting/ dimensions | | |
| mounting position | any | |
| fastening method | clip-on | |
| height | 30 mm | |
| width | 30 mm | |
| depth | 15 mm | |
| Approvals Certificates | | |
| General Product Approval | EMV | Test Certificates |



[Type Test Certificates/Test Report](#)

Maritime application

other



[Confirmation](#)

Railway

Environment

[Special Test Certificate](#)



[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2936-1ES00>

Cax online generator


<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT2936-1ES00>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2936-1ES00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2936-1ES00&lang=en





last modified:

4/2/2025 