



stand-alone assembly support for 3RU21/3RB30/3RB31/3RR2 Size S00 Stand-alone installation Main circuit: Spring-type terminal Auxiliary circuit: --

| | |
|---|--|
| product brand name | SIRIUS |
| product category | Terminal support |
| product designation | individual mount |
| product type designation | 3RU29 |
| General technical data | |
| size of overload relay | S00 |
| protection class IP on the front | |
| • according to IEC 60529 | IP20 |
| Substance Prohibition (Date) | 10/01/2009 |
| Weight | 0.06 kg |
| Ambient conditions | |
| ambient temperature | |
| • during operation | -20 ... +70 °C |
| • during storage | -50 ... +80 °C |
| Electrical Safety | |
| protection class IP on the front according to IEC 60529 | IP20 |
| touch protection on the front according to IEC 60529 | finger-safe, for vertical contact from the front |
| Installation/ mounting/ dimensions | |
| fastening method | screw and snap-on mounting onto 35 mm DIN rail |
| height | 102 mm |
| width | 45 mm |
| depth | 68 mm |
| Connections/ Terminals | |
| type of electrical connection | |
| • for main current circuit | spring-loaded terminals |
| type of connectable conductor cross-sections | |
| • for main contacts | |
| — solid | 1x (0.5 ... 4 mm ²) |
| — stranded | 1x (0.5 ... 4 mm ²) |
| — finely stranded with core end processing | 0.5 ... 2.5 mm ² |
| • for AWG cables for main contacts | 1x (20 ... 12) |
| Approvals Certificates | |
| General Product Approval | Test Certificates |



[Type Test Certificates/Test Report](#)

[Special Test Certificate](#)



Maritime application other



[Confirmation](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RU2916-3AC01>

Cax online generator


<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RU2916-3AC01>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RU2916-3AC01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RU2916-3AC01&lang=en





1/L1

3/L2

5/L3