






Sealable cover for SIRIUS soft starter 3RW40 Size S6 and S12



product brand name	SIRIUS
product category	Accessories
product designation	Sealing cover
product type designation	3RW49
<b>General technical data</b>	
Substance Prohibittance (Date)	07/01/2006
Weight	0.014 kg
<b>Installation/ mounting/ dimensions</b>	
height	94 mm
width	98 mm
<b>Electrical Safety</b>	
protection class IP on the front according to IEC 60529	IP20
touch protection on the front according to IEC 60529	finger-safe, for vertical contact from the front

### Approvals Certificates

General Product Approval	EMV	Test Certificates
   		<a href="#">KC</a> <a href="#">Special Test Certificate</a>

Maritime application	other	Environment
  		<a href="#">Confirmation</a> <a href="#">Environmental Confirmations</a>

### Further information

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
 Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
 Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/ic10>  
 Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW4900-0PB00>  
 Cax online generator  
<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW4900-0PB00>  
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3RW4900-0PB00>  
 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RW4900-0PB00&lang=en](https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW4900-0PB00&lang=en)


Characteristic: Tripping characteristics, I<sup>2</sup>t, Let-through current  
<https://support.industry.siemens.com/cs/ww/en/ps/3RW4900-0PB00/char>

Characteristic: Installation altitude

<https://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RW4900-0PB00&objecttype=14&gridview=view1>

Simulation Tool for Soft Starters (STS)

<https://support.industry.siemens.com/cs/ww/en/view/101494917>



last modified:

4/2/2025

