


PCB 600 V for 3RW50, size S12






product designation	Printed circuit board
design of the product	600 V
product type designation	3RW59
manufacturer's article number of soft starter	<a href="#">3RW507-..B.5</a>


General technical data	
Substance Prohibittance (Date)	09/23/2019
SVHC substance name	Lead - 7439-92-1 Lead monoxide (lead oxide) - 1317-36-8 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol - 79-94-7
Weight	0.42 kg

Ambient conditions	
ambient temperature during storage	-40 ... +80 °C

**Approvals Certificates**

General Product Approval	EMV	For use in hazardous locations	Test Certificates
  	<a href="#">KC</a>	<a href="#">Miscellaneous</a>	<a href="#">Type Test Certificates/Test Report</a>

**Maritime application** other

   		<a href="#">Confirmation</a>
---	---	------------------------------

**Environment**

[Environmental Confirmations](#)

**Further information**

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
 Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5907-0PY05>

Cax online generator

<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5907-0PY05>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RW5907-0PY05>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[https://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RW5907-0PY05&lang=en](https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5907-0PY05&lang=en)

Characteristic: Tripping characteristics, I<sub>t</sub>, Let-through current

<https://support.industry.siemens.com/cs/ww/en/ps/3RW5907-0PY05/char>

Characteristic: Installation altitude

<https://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RW5907-0PY05&objecttype=14&gridview=view1>

Simulation Tool for Soft Starters (STS)

<https://support.industry.siemens.com/cs/ww/en/view/101494917>

---

last modified:

4/17/2025 

