

Fan cover for 3RW55 and 3RW52, Size 1, 2 and 3



product brand name	SIRIUS
product category	Fan covers
product designation	Fan cover
product type designation	3RW59
manufacturer's article number of soft starter	
•	3RW5126/27 (2x), 3RW513 (2x)
•	3RW5216/17 (1x), 3RW5226/27 (2x), 3RW523 (2x)
•	3RW551 (1x), 3RW552 (2x), 3RW553 (2x)

**General technical data**

Substance Prohibittance (Date)	02/15/2018
Weight	0.02 kg

**Ambient conditions**

ambient temperature during storage and transport	-40 ... +80 °C
--	----------------

**Electrical Safety**

protection class IP on the front according to IEC 60529	IP20
touch protection on the front according to IEC 60529	finger-safe, for vertical contact from the front

**Approvals Certificates**

General Product Approval	EMV	For use in hazardous locations
--------------------------	-----	--------------------------------



[KC](#)

[Miscellaneous](#)

**Test Certificates**      **Maritime application**

[Type Test Certificates/Test Report](#)



**other**      **Environment**



[Confirmation](#)

[Environmental Confirmations](#)

**Further information**

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5983-0FC00>

**Cax online generator**

<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5983-0FC00>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RW5983-0FC00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RW5983-0FC00&lang=en](https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5983-0FC00&lang=en)

**Characteristic: Tripping characteristics, I<sup>2</sup>t, Let-through current**

<https://support.industry.siemens.com/cs/ww/en/ps/3RW5983-0FC00/char>

**Characteristic: Installation altitude**

<https://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RW5983-0FC00&objecttype=14&gridview=view1>

**Simulation Tool for Soft Starters (STS)**

<https://support.industry.siemens.com/cs/ww/en/view/101494917>

---

last modified:

4/2/2025 

